



Blockkugelhahn

Ball valve


Werkstoffe

Gehäuse: Edelstahl 1.4571
 Kugel: Edelstahl 1.4571
 Schaltwelle: Edelstahl 1.4571
 Kugeldichtungen: POM
 O-Ringe: NBR
 Temperatur: -20° C / 100° C
 Griff: Zinkdruckguss

Materials

Body: stainless Steel 1.4571
 Ball: stainless Steel 1.4571
 Stem: stainless Steel 1.4571
 Ball seals: POM
 O-rings: NBR
 Temperature: -20° C / 100° C
 Handle: zinc die-cast

BKH



Blockkugelhahn, beiderseits Rohrringgewinde DIN ISO 228, Edelstahl 1.4571

Ball valve, both sides female thread DIN ISO 228, stainless steel 1.4571

Figur	A	DN	LW	L	l	B	H	h	m	V	SW	PN / bar	Griff	Art.Nr.
BKH	G1/8	4	5	69	36	28	43.5	32	13	8	9	500	Zn	BKH013
BKH	G1/4	6	6	70	36	28	43.5	32	13	8	9	500	Zn	BKH023
BKH	G3/8	10	10	70	42	32	51.5	40	19	8	12	500	Zn	BKH033
BKH	G1/2	16	16	83	48	45	60.5	45	19	11.5	12	400	Zn	BKH043
BKH	G3/4	20	20	93	60	50	77.5	58	25	15	14	400	Zn	BKH063
BKH	G1	25	25	113	67	60	84.5	65	29	15	14	350	Zn	BKH083
BKH	G1 1/4	32	25	120	67	60	84.5	65	29	15	14	350	Zn	BKH103
BKH	G1 1/2	40	25	130	67	60	84.5	65	29	15	14	350	Zn	BKH123

Blockkugelhahn, beiderseits Schneidringanschluss DIN 2353, leichte Reihe, Edelstahl 1.4571

Ball valve, both sides cutting ring connection DIN 2353, light series, stainless steel 1.4571

Figur	A	DN	LW	L	l	B	H	h	m	V	SW	PN / bar	Griff	Art.Nr.
BKH/L	6L	4	5	68	36	28	43.5	32	13	8	9	315	Zn	BKH06L3
BKH/L	8L	6	6	68	36	28	43.5	32	13	8	9	315	Zn	BKH08L3
BKH/L	10L	8	8	76	42	32	51.5	32	19	8	9	315	Zn	BKH10L3
BKH/L	12L	10	10	76	42	32	51.5	40	19	8	9	315	Zn	BKH12L3
BKH/L	15L	12	12	83	48	45	60.5	45	19	11.5	12	315	Zn	BKH15L3
BKH/L	18L	15	15	83	48	45	60.5	45	19	11.5	12	315	Zn	BKH18L3
BKH/L	22L	19	20	103	60	50	77.5	58	25	15	14	160	Zn	BKH22L3
BKH/L	28L	25	24	110	67	60	84.5	65	29	15	14	160	Zn	BKH28L3
BKH/L	35L	32	24	110	67	60	84.5	65	29	15	14	160	Zn	BKH35L3
BKH/L	42L	40	24	112	67	60	84.5	65	29	15	14	160	Zn	BKH42L3